



Intense Carpet

0261520 13' 7"

0261521 15' 4"

- 5th-generation polypropylene
- Exclusive softening process to enhance wear and feel
- High resistance to staining
- Can be cleaned with harsh cleaners
- Low maintenance

Padding Quality padding for all your carpeting needs.

6 Lb. Rebond

- 1/2" rebond, 6 lb. density
- 30 sq. yards/roll
- 6' x 45' rolls

0261510

4 Lb. Rebond

- 3/8" rebond, 4 lb. density
- 40 sq. yards/roll
- 6' x 60' roll

0261511

Spot Remover & Carpet Cleaner

GTO is formulated to remove tough stains from carpeting, rugs & upholstery. Reaches deep into the stained area to dissolve grease, oil and many other stubborn stains. GTO is formulated not to set in stains. Removes grease, tar and oily soil.

0181350 20 fl oz. spray: 12/Ctn.



Vinyl Floor Covering

We now offer vinyl floor covering direct from the manufacturer by special order.



- ▲ Speedy shipping direct from Dalton, GA
- ▲ First-quality, no wax, satin-gloss standard Wearlayer
- ▲ Standard limited warranty
- ▲ 14-foot width for virtually seamless installations
- ▲ Easy to install and maintain

Style Choices

- Plank
- Gray Diamond
- Medallion Marble
- Taupe Ceramic
- Beige Ceramic

0261515 14' Wide

Important:

All design illustrations are reproduced as faithfully as fine color printing inks will permit. Due to the difference between printing inks and the pigments used in the manufacture of these floor coverings, we cannot guarantee exact color reproduction. Ask your salesman to show you actual sample boards.



Plank
PJ014



Gray Stone
PJ112



Gray Slate
PJ180



Beige
PJ285

- ▲ Speedy shipping direct from Dalton, GA
- ▲ First-quality, no wax, satin-gloss standard Wearlayer
- ▲ Standard limited warranty
- ▲ 14-foot width for virtually seamless installations
- ▲ Easy to install and maintain

Style Choices

- Plank
- Gray Stone
- Gray Slate
- Beige

Same as above, but in 15' 6" width for even wider installations.

0261514 15' 6" Wide

Laminate Floor Covering 6mm

HDF Floating Laminate



0261528 Floating Laminate, 6mm

- 0261529** T-Molding (7'10" long)
- 0261530** End Cap (7'10" long)
- 0261531** Reducer (7'10" long)
- 0261512** Underlayment (7'10" long)

Style Choices

- Red Oak
- Gunstock
- Light Oak



Durable 3 mil, non-skid polyethylene film prevents damage during high traffic display periods, bad weather or while repairs are being made. Pressure-sensitive adhesive on one side, reverse rolled for easy application. Roll it across the floor, or use the handy Excaliber applicator for fast, wrinkle-free application. To remove, simply peel off and discard. Non-transferable adhesive will not harm carpets.

- 0265010** 23.5" x 1000' Roll
- 0265011** 23.5" x 200' Roll
- 0265015** Excaliber Applicator

NOTE:

Should not be left in place for more than 45 days. It should be removed or replaced sooner if subjected to heavy foot traffic, high humidity, high temperatures or direct sunlight. Not recommended for natural fiber (wool) carpets. Do not use on marble, tile, vinyl, counter tops, etc. where it is difficult to remove. Temperatures greater than 100° F may prevent Carpet Armour from releasing properly.

Outdoor Improvements
 Anchors & Set-Up Material
 Doors & Windows
 Coatings & Cleaners
 Appliances
 Tools & Hardware
 Carpet & Flooring
 Electrical
 Plumbing
 Towing & Safety
 Heating & Cooling

Electric Stapler

Provides high production tacking where no air compressor is available. Operates on 110V, AC current. Only uses 9/16" staples.



0390650 6/Ctn.

Electric Stapler Staples



5000 per box. 9/16" staples; 20/Ctn.

0390670 Plain **0390671** White
0390674 Tan. **0390676** Brown

Carpet Stretcher Hook




Lightweight tool stretches from floor not the wall, eliminating the need for tubs, tall block assembly and carrying case. Fits any Junior Stretcher, though an adapter tube is needed for Taylor stretchers. Prong design ensures a good grip in wood and long life. Aluminum body weights 1.25 lbs.

CAUTION:
 use only on wood substrates. One-year warranty.

0261014

Seam Squeezer



Powerful spring squeezes equally from both sides. Adjustable spring tension. Slanted pins in the 2-5/8" wide gripper plates prevent slipping. Set of 2.

0261012

Deluxe Power Carpet Stretcher

Extra powerful unit in lightweight custom contoured case with space for six tubing sections. Adjusts from 33" to 22' with four tubing sections. Heat-treated aluminum handle is the longest and strongest. Guaranteed for life against breakage. 14" wide head has 60 rust resistant adjustable nickel plated pins for heavy-duty work. Non-marring cushion for non-slip work. Complete with adjustable 14" transfer tube, head assembly, tail block, case and four each tubing sections with exclusive one-piece spring clips. Weighs 56 lbs.



0261015

Single Row Roller




6" carpet seaming roller. Sturdy all-metal spike, rollers and washers.

0261011

Carpet Kicker

Porcupine teeth can be dialed to 16 settings in 1/32" increments for different pile heights and penetration. Five positive lock settings from 17-1/2" to 21-1/2". Seamless foam-filled bumper pad can be switched to 4 positions for even wear. 3/Ctn.



0261000

Rubber Knee Pads



Quick and easy on/off with 2" wide single elastic velcro straps.

0345010

Utility Knife

Zinc die-cast, sure-grip handle; blade storage compartment; 3-position retractable, reversible blade.



0382038 Knife; 10/Ctn.
0382042 Repl. Blades (5)

Bigelow Style Carpet Cutter

For tight weave gauges of rubber back carpet. Beveled guide makes it easy to stay in the rows. Blade on both sides for cutting either side of the row, and the 30° blade angle prevents tearing. Five blades included.



0261006

Cookie Cutter Tool

Use remnants or carpet from hidden area to repair burns, stains, rips and other small damage. Polished cast aluminum with spring loaded depth pivot pin and four replaceable blades to cut a 3-1/8" diameter circle.



0261007 Cookie Cutter Tool
0261005 Replacement Blades

Carpet Base Cutter



The only tool that lets you make your own wall base. Made from lightweight aluminum castings, adjustable for any width from 1-5/8" to 6". Cuts any type of carpet using a slotted razor blade. Easy to use, and supplied with instructions and a heavy duty blade.

0261002 3/Ctn.

Carpet Knife

Single clamping screw for quick blade changing. Aluminum, polished profile to resist snagging. Case-hardened to resist slot wear. Extra blades can be stored in the handle.



0261004 36/Ctn.

Carpet Blades

Heavy-duty, slotted, blue-tempered, high-grade cutting steel. Personna Blades .017" gauge, a stronger blade means less breakage & greater economy. Round corner. Individually wrapped for safety. 100 blades per dispenser box.



0261008 10/Ctn.

Carpet Seaming Irons with Teflon

Teflon base for virtual self-cleaning operation. Grooved bottom prevents adhesive from being squeezed out. Thermostat with 4 settings up to 425° F and indicator light. 120V through a 10' 18/3 wire cord. Back end is notched to prevent hot melt adhesive from being scraped back onto carpet's surface. Figure 8 heating element for even heat. Built-in shield protects carpet backing from excessive heat. Insulated handle with 3-way cord guide keeps cord out of the way. Complete with instructions and holder. UL listed.

0261010 3" Flat Bottom (Shown)
0261009 6" Grooved Bottom



Specifications Subject to Change without Notice




Kool Glide Carpet Seaming Iron


- Simple, fast adhesion at the push of a button
- Bonds on demand in seconds
- No messy clean up because the tool never touches the adhesive
- Instantly ready to use
- Safer operation - no fumes or danger of burns
- Smoke free
- No damage or discoloration of carpet

Lightweight, handheld electronic tool that melts carpet adhesive using a pre-programmed heating cycle, controlled by a state-of-the-art microprocessor. Precise amounts of adhesive and tightly controlled heating provide for a consistent, low-profile seam. Can even be used to rework seams from on top of the carpet.

- 0261020** Seaming Iron
- 0261022** Tape 100'



Aluminum Floor Seam Binder



Serrated face, stagger drilled and countersunk. Mill finish. 12' lengths.

- 0262607** 2-1/2" x 12' L; 30/Ctn.
- 0262610** 3/4" x 12' L; 30/Ctn.

Carpet Molding



All drilled and counter-sunk on 6" centers. 1-1/4" W x 12' L. Hammered.

- 0265505** Brass Finish; 25/Ctn.
- 0263200** Spiral Nails; 500/Box
- 0263206** Spiral Nails; 250/Box
- 0265504** Mill Finish; 25/Ctn.
- 0263201** Spiral Nails; 500/Box
- 0263207** Spiral Nails; 250/Box