

# Screw Drivers

## #1 Square Bit Driver



3/16". Overall length 8-1/2". Handle 4". Uncarded

0380201 6/Ctn.



## #2 Square Bit Driver



1/4". Overall length 8-3/4". Handle 4-1/8". Uncarded

0380202 6/Ctn.

0380103 Economy 25/Ctn.



## Nut Driver



1/4". Overall length 6-3/4". Handle 3-3/4". Uncarded

0380301 6/Ctn.



## Clutch Driver



5/32"  
Overall length 7-1/2"  
Handle 4"  
Uncarded

0380502 6/Ctn.



## 6-in-1 Screwdriver

Specially tempered chrome-plated steel, hardened so that one end can be used as a 5/16" hollow shaft nut driver and the other end can be used as a 1/4" hollow shaft nut driver. Comes standard with a double end Phillips bit (1/4" end) and a double end slotted bit on the 5/16" end.



0380109 6-in-1 Screwdriver

0380115 6-in-1 Imprinted Screwdriver  
Min. Order 24

## 5-in-1 Magnetic Driver

Contains 1 slotted,  
1 Phillips, 2 square and 1 clutch. All  
bits are 1/4" hex shank, non-reversible,  
insert bits.  
Carded

0380101 24/Ctn.



## Lock Installation Tool Kit Hole Saw



For fast and easy installation of most locksets and deadbolts; fits most popular electric and cordless drills. Blade-mandrel and bit are high quality heat treated and hardened. Contains one 2-1/8" diameter high carbon steel high speed holesaw and mandrel, and one 1" high speed wood power bit. Will saw through metal or wood. Carded.

0390500 12/Ctn.



## Imprint Special:

The 6-in-1 screwdriver can be imprinted with your company name in a minimum order of 24 pcs.  
Makes a great advertising tool and give-away.



# Screws, Bolts & Nuts

## Self-Tap Screws



Zinc plated hex head.

- 0263043** 8-18" x 3/4" 100/Box
- 0263035** 8-18" x 1" 100/Box
- 0263036** 8-18" x 1 1/2" 100/Box


## Brass Thumb Screws



New metric screws specifically for light shades, smaller than #0281501 & #0281502, with a Phillips head. 100/Pk.

**0281505**

## Stove Bolts & Nuts



Packaged machine screws with nuts. 1/4" #20.

- 0263020** 1/2" 100/Box
- 0263022** 3/4" 100/Box
- 0263024** 1" 100/Box

## Pan Head Screws



Zinc plated. # 8 gauge. 10/Ctn.

- 0263123** 1 x 8 500/Pk.
- 0263119** 1 1/2 x 8 500/Pk.


## Carpet Molding Nail Spiral Thread



Drive nail with spiral thread. Hammer drive application. Counter-sunk oval head. Poly-bagged.

- 0263200** Brass Finish 500/Box
- 0263201** Zinc Finish 500/Box
- 0263206** Brass Finish 250/Box
- 0263207** Zinc Finish 250/Box

## Hinge Screw Oval Square



Oval square recess. Zinc plated. # 6 gauge, 1 1/4" long.

**0263108** 50/Box

## Lag Screw

With washers. 50/Box.



- 0263029** 1/2" x 5"
- 0263030** 3/8" x 4"
- 0263031** 3/8" x 5"
- 0263032** 3/8" x 6"
- 0263033** 3/8" x 8"
- 0263037** 3/8" x 5" (300/Bx)
- 0263034** Washers Only


## Threaded Flat Head



2/3" threaded #8 gauge. Bronze finish.

- 0262631** 2" 250/Box
- 0262617** 3" 100/Box

## Tub Molding Screws



Flat head, zinc-plated screws.

**0265518** 50/Box

## Floor Screws



Flat head square recess #8. 10/Ctn.

- 0263111** 1-1/2"; 250/Box
- 0263113** 2"; 250/Box
- 0263099** 2 1/2"; 100/Box
- 0263118** 3"; 100/Box
- 0263098** 3"; 2000/Box
- 0263117** 4"; 100/Box


## evco Drill Bit

135° Split Point fractional bit. 5/32" diameter. 3 1/8" length. Black nitride finish.



**0380108** 12/pk

# Sheet Metal Screws



Hex washer head. #8 gauge.

## 1/2" Sheet Metal Screws

0263050 Box of 500

## 3/4" Sheet Metal Screws

0262616 Box of 50  
0263101 Box of 500  
0264037 White; Box of 500  
0263000 Keg (12M Approx.)  
0263001 1/2 Keg (35M Approx.)

## 1" Sheet Metal Screws

0262615 Box of 50  
0262618 White (50/Box)  
0263102 Box of 500  
0264038 White (500/Box)  
0263005 Keg (25M Approx.)  
0263006 1/2 Keg (7.5M Approx.)

## 1-1/4" Sheet Metal Screws

0262614 50/Box  
0263103 500/Box  
0263010 Keg (20M Approx.)  
0263011 1/2 Keg (6M Approx.)  
0263075 150/Box  
w/Rubber-Backed Washer

## 1-1/4" Painted Sheet Metal Screws

0262611 250/Box, Black  
0262612 500/Box, Black  
0263151 500/Box, Brown  
0263014 500/Box, White  
0262632 500/Box, Cream  
0263013 1/4 Keg, White (6M Approx.)

## 1-1/2" Sheet Metal Screws

0262613 50/Box  
0263104 500/Box  
0263012 Keg (20M Approx.)

## 1-1/2" Painted Sheet Metal Screws

0264035 50/Box, White  
0264036 500/Box, White

## 2" Sheet Metal Screws

0263089 250/Box

# EZ Chuck Nut Setter

Magnetic. For driving hex head screws.

0390626 1/4" Mag Nut Driver, 1-3/4" Long  
0390627 1/4" Mag Nut Driver, 2-9/16" Long  
0390643 1/4" Mag Nut Driver, 4" Long  
0390628 5/16" Mag Nut Driver, 2-9/16" Long  
0390608 1/4" Mag Nut Driver, 6" Long



## evco Bit Holder



For 1/4" Hex insert bits. 2" long, non-magnetic.


0390609

## Clutch Head Bit



0390613 5/32" - 1" Long

## Double Ended Bit



0390601  
#2 Phillips & 8-10 slot; 2"

## Phillips Bit




0390618 #2 - 1"

## Square Recess



0390615 #1 - 1"  
0390612 #2 - 1"

## Square Recess



## evco

## Clutch Head



0390611 5/32" - 2" Long

## Slotted



0390617 1-7/8" Long

## Phillips



0390638 #1 - 1-15/16" Long  
0390639 #2 - 1-15/16" Long  
0390641 #2 - 6" Long

## Tapered Nut Setter



0390634 Magnetic, 2" long. 1/4"

0390636 #1 Square, 2" Long  
0390637 #2 Square, 2" Long  
0390642 #2 Square, 6" Long

## Panel Nails

1" colored nails. Approximately 500 per plastic box.



- 0263110** 1" Oak
- 0263112** 1" Brown
- 0263115** 1" Dark Oak
- 0263116** 1" White
- 0263140** 1-5/8" White
- 0263141** 1-5/8" Dark Oak
- 0263142** 1-5/8" Brown
- 0263143** 1-5/8" Oak

## Bin Box

Rugged 200 pound test corrugated fiber-board offers exceptional strength, durability and economy. Crisp white finish. Large identification panel helps locate parts fast...eliminates chance for error. 48/Ctn.



- 0263120** 3"W x 12"D x 4"H
- 0263121** 6"W x 12"D x 4"H
- 0263122** 10"W x 12"D x 4"H

## All Leather Work Gloves


- All Leather Work Gloves  
Leather Palm Work Gloves
- ★ Front, back & leather cuff
  - ★ Double leather palm
  - ★ Double Stitched
  - ★ Sold as pairs with hang-up display cards



**0345016**

## Mirror Clips

Deluxe design. Clear plastic. For 1/8" glass.



**0262608** W/Screw; 10/Bag

## Heavy Duty Cable Ties

6.6 nylon, the heavy duty duct straps feature smooth insertion, and a locking mechanism that gives ductwork a firm hold. Accommodates 7 to 15 inch duct. Tensioning tool for 32"+ allows operator to adjust strap to any desired tension.



48" Long – Fits up to 14" Duct – 175 lb. Tensile  
**0262508** 48"; 50/Pack (mfr# 7-P48)

## White Nylon Wire Ties

White Wire Ties  
15" Nylon  
**0262509** 15"; 12/Pack  
(mfr# WT15)




## Leather Palm Work Gloves

Full leather palm with leather knuckle band & fingers. Split leather cowhide. Double stitched. Heavy canvas gauntlet cuff for added protection. Sold as pairs with hang-up display cards.



**0345015**





## Mechanic's Hacksaw

Adjustable blade holder for 8" or 12" blades; adjustable wing nut locking device, solid steel frame with chromate finish for fast, smooth cutting of all materials. Lightweight yet extremely rigid.

0382060 36" x 36" x 3"

## Utility Knife



Zinc die-cast, sure-grip handle; blade storage compartment; 3-position retractable, reversible blade.

0382038 Knife; 10/Ctn.

0382042 Replacement. Blades (5)

**Air-King**  
Ventilation Products

## Pivoting Utility Blower with Grounded Outlets

- High Velocity Motor for Maximum Air Stream
- Three Powerful Speeds
- Two 120 Volt Grounded Outlets
- Rugged, Easy-to-Carry Handle
- Ten-Foot Cord with Grounded Plug
- Fully Assembled for Immediate Use



11.5" L x 9.25" W x 11.25" H  
10.9 Lbs. Shipping Weight

0420600

## Electric Stapler

Provides high production tacking where no air compressor is available. Operates on 110V, AC current. Only uses 9/16" staples.



0390650 6/Ctn.

## Staples

5000 per box. 9/16" staples; 20/Ctn.



0390670 Plain  
0390674 Tan.

0390671 White  
0390676 Brown

## The Sider


Quickly and accurately replaces chalk lines, squares and straight edges. Fits in pocket, only 4".

Use it as a scribe or square to mark or score precise lines...

or

Go straight to cutting with your utility knife in the precisely marked 1/8" holes.

**0381003**



**Save up to 3 hours on every job!**



## SideSwiper®

**Saves time!**

Unique offset design makes work more accessible so you can work faster and safer. Wider body and comfortable vinyl-grip handle conforms to your hand, protects knuckles and gives you greater leverage and control when replacing siding panels. Durable one-piece, spring steel construction is virtually indestructible. 6/Ctn.



**0381002**

### Using the SideSwiper



Wedge tip under the bottom end of overlapping panel and hook on the back lip of buttlock in one easy motion.

Pull downward on SideSwiper's® handle and slide row of siding panel to disengage lock and expose nail row of sliding panel to be replaced.

Use in the same manner to install replacement panel.

## Metal Shears

Drop-forged, heavy duty, 12-3/4" long.



**0381004**

## Pro Snap-Lock Punch Tool

For vinyl only; 1/2" throat depth. Produces wider, more secure locking tab projections.

**0380105**



## Snap-Lock Punch Tool

For vinyl and aluminum; 3/8" throat depth.

**0380104**



## Aluminum Handled Snips

New design! Handle gives strength of steel with only half the weight. Straight cuts through the hardest sheet metal (even seams) and vinyl. Long-life pressure fit inset steel blades are easy to replace and extended tips reach all the way into corners. Larger handle loops accommodate gloves. 3" cut, weighs only 1 lb., 12" long.

**0381012** M12N Snips

**0381014** Rpl. Blade for M12N Snips




- Sleek head for better visibility
- Slim nose for tight shapes
- Extended blade tip reaches all the way into corners
- Pressure-fit inset blades make field replacement easy

# Cabinet and Door Hardware

## Friction Catch


For cabinets.  
Self-lubricating  
brass spring clip.

**0260201** 100/Ctn.



## Magnetic Catches w/Flat Strike

**0260220** 2 Pair



## Drawer Knobs

1-1/2" diameter.  
Antique copper finish  
over decorative filigree  
design. 12/Ctn.


**0260301**




## Drawer Guide

Silent drawer action.  
3-point suspension  
plastic bracket.


**0265541** Bracket; 100/Ctn.



## Side Mount Drawer Hardware



End Socket Set  
**0265539**




**0265538** Guides 18"

## Deluxe Drawer Guide

Hi-flex plastic, use w/wood or metal rail.  
Attaches to rear of drawer.

**0260306** 6/Bag  
**0265535** 100/Ctn.



## Flush Cabinet Door Hinge

Antique English finish, flush hinge.  
Non-Self Closing.

**0260212** 2/Bag



## Six Finger Hinges

Six screw flanges.

**0210993** Satin Nickel



## Exterior Hinges



Designed with Radius Corners  
For The 7000 Series Doors.

**0210604** Brass  
**0210605** Zinc

## Interior Door Hinges

Non-mortise, 3 leaf  
folding door hinges,  
1-3/16" x 3-7/16".

Polybagged in pairs  
with 8 screws.

**0210990** Brass  
**0210991** Brushed Nickel



Non-mortise, extended, 3 leaf  
folding door hinges.  
1-3/16 x 3-7/16  
(extended leaf 1-1/2")

Polybagged in pairs  
with 8 screws.

**0210989** Brass  
**0210992** Brushed Nickel





## Drip Cap



For over doors and windows. Large collector valley carries away rain and snow. Confined caulking area insures neat appearance and positive seal.

**0210950** 31" **0210951** 35"  
**0210953** 39" **0210954** 43"  
**0210955** 49"

## Elixir Threshold

Aluminum.



**0265506** 32" or less  
**0265507** 34"  
**0265508** 36"  
**0265509** 48" or less  
**0265510** 72"


## Standard Door Sweep



1-1/2" overall width including vinyl. 37" overall length. Satin finish. Poly bag.

**0219009** 24/Ctn.

## Adjustable Vinyl Door Bottom




Fills gap between door and door bottom to prevent air, dust and water entry. Additional seal at the top, to stop water seepage. Pre-punched slotted holes. Includes self tapping screws. 36" long.

**0219010** White; 24/Ctn.  
**0219011** Brown; 24/Ctn.

## Aluminum Molding Drip Rail


Serrated face 1-1/2" standard 1-1/2" rail 14' length. Punched, 4" centers.



**0265503** 25/Ctn.

## Roof Edge

Extra soft, heavy-gauge standard edge. 14' length. Punched with 4" centers.



**0265501** 25/Ctn.

## Carpet Molding



All drilled and counter-sunk on 6" centers. 1-1/2" W x 12' L. Hammered.

**0265504** Mill; 25/Ctn.  
**0265505** Gold; 25/Ctn.


**Spiral Nails sold separately**

**0263201** Mill finish, 500/Box  
**0263207** Mill finish, 250/Box  
**0263200** Gold finish, 500/Box  
**0263206** Gold finish, 250/Box




## Hanger & Guide Set

Includes four each of top hangers and bottom guides.



**0211038**


## Rails



For a 4' x 6' x 8" door.

**0211040** Pair of Rails


## Drip Cap



Install over doors and windows to channel away rain and snow. Steel with white finish.

**0212011** For 32" or less door  
**0212012** For 34" door  
**0212013** For 36" door  
**0212014** For 48" door  
**0212018** For 53" door  
**0210949** For 60" door  
**0212009** For 72" door

## Seam Binder




Aluminum w/serrated face, stagger drilled and countersunk. Mill finish. 12' lengths.

**0262607** 2-1/2" x 12' L; 30/Ctn.  
**0262610** 3/4" x 12' L; 30/Ctn.  
**0262605** 4" x 12' L; 30/Ctn.

## Door Guides

1/2" offset. Single wheel. Zinc finish. Pair. 50/Box.



**0210205**

## Door Stiles



Pair of Stiles  
**0211042**



# Door Parts

## Door Viewer



One-way viewer is zinc die-cast with 180° angle plastic lens. 9/16" diameter, adjusts for door thicknesses 1-1/2" to 2-1/2". Installation hole is 9/16". Display boxed.

0212016 Brass

0212017 Chrome

## Spring-Eze Stop



Flexible brass-plated steel spring with white plastic tip. 3" long.

0211004 25/Ctn.

## Self-Adhesive Door Stop



Colonial White;  
100/ctn.

0211002

Specifications Subject to Change without Notice



**And Portable Buildings & Travel Trailers**

Allows you to easily repair damage from break-ins without replacing entire door, and protects against a reoccurrence.

Just three easy steps: remove screws from doorknob, place Theft Stopper on outside of door, then replace the knob.

0212024


## "S" Hook

Approximately 1-1/2" long. Ideal for chain door connections and many other uses.



0210602

## Theft Stopper



## Weather Stripping




0219001 30'

## Doorknob Hole Patch Repair & Doorstop

Solves two problems at the same time: patches over holes and serves as doorstop to prevent reoccurrence of damage. Cream-colored, paintable, self-adhesive and elastic.

0211003 - 3"

0211005 - 5"



Outdoor  
Improvements

Anchors &  
Set-Up Material

Doors &  
Windows

Coatings &  
Cleaners

Appliances

Tools &  
Hardware

Carpet &  
Flooring

Electrical

Plumbing

Towing &  
Safety

Heating &  
Cooling

## Easy-Touch Acoustic Texture

Patch "popcorn" or "cottage cheese" type ceiling textures fast. Contains actual polystyrene chips to match commercially applied ceiling textures.

Patch small areas up to 2 sq. ft. 16 oz.

**0185027** Medium  
**0185028** Coarse



## Acoustic Texture Kit

Kit includes sprayer and acoustic polystyrene chip texture.

**0185030** Kit



## DAP Vinyl Interior Spackling

For plaster, drywall and wood surfaces. 5.5 fl. oz. tube, white.

**0119005**



## Putty Knife

High impact plastic. 3.5" long handles and 3.5" long blades. Hang hole.

**0381105** 2"  
**0381106** 3"  
**0381107** 4"



## DAP Wallboard Joint Compound

Smooth, high quality finishing of gypsum panel joints. 3 lb. tub

**0119006**

**F-10**



## Easy-Touch Spray Texture

Fast-drying, oil-based. Three color-coded straws let you choose the perfect match for "orange peel" splatter textures. Up to 100 sq. ft. of coverage.

**0185026** 20 oz.



## Easy-Touch Knockdown Texture

Water-based. Matches knockdown "Mediterranean" and splatter-type wall and ceiling textures. Two different application straws allow you to choose between medium or heavy patterns. Patches small areas up to 8 sq. ft. Single can provides up to 16 sq. ft. coverage.

**0185025** 20 oz.



## Easy-Touch Orange Peel/Knockdown Texture

Repair and redecorate your ceiling with our new multi-purpose ceiling texture that applies either orange peel or knockdown texture. Formulated for patching existing interior ceilings. Maximum coverage Orange peel - 80 sq ft., Knockdown - 60 sq ft. Vertical spray nozzle reduces effort. Water base formula is easy to clean up.

- Easy to apply
- Sprays both Orange Peel & Knockdown
- Vertical spray nozzle
- For patching or entire ceilings

**0185024** 20 oz.



## Homax Wall & Ceiling Repair Patch

For drywall, plaster and other flat surfaces. Metal patch with self-adhesive mesh backing permanently repairs holes in walls and ceilings. Refinish to create an invisible patch. Ideal for quick repair of interior drywall and plaster surfaces.

**0260417** 6" Patch






# SeaSpray Brand Hi-Strength MVR Ceiling Panels

Attractive textured ceiling panels and a code-approved moisture/vapor retarder, all in one easy to use product. Manufactured with a high strength gypsum core with increased uniformity and integrity to increase sag resistance. Field tests prove these new 5/16" panels provide superior sag resistance to regular gypsum core, even when installed over framing 24" o.c. using foam adhesive attachment methods.

- Five year limited warranty against visible sag
- Meets HUD standards of 1 perm or less for vapor retarder
- Square edged linear panels are coated with durable latex finish that resists surface marking
- Bolder, heavier texture helps hide joints
- Fire resistant, UL labeled; meets HUD safety standards
- Easy to install (and eliminates need for applying other vapor retarders
- Improved sag resistance
- 24" o.c. foam adhesive attachment
- Built-in vapor barrier
- Hard painted surface
- Easy touch-up



**0200005** 4' x 13' 9 1/2" x 5/16" Ceiling Panels  
**0200006** 4' x 13' 8" x 5/16" Ceiling Panels  
**0200030** 1" x 9' Batten

*Not Stocked At All Locations*

## Wallboard

**0200010** Wallboard Panel 4'x8' Off White  
**0200013** Wallboard Panel 4'x9' Off White  
**0200011** Batten 4'x8' Off White



*Pictured with optional decorative battens*

A variety of patterns available by custom order.

## Wallboard Paint

Off-White - 5 gallon



**0185038**

## Rosette Washers & Screws



For fastening ceiling board.  
 1" diameter white rosette.  
 Center hole for 6# screw.

**0260401** Rosette Only; 200/Bag  
**0263106** Screw Only; 200/Bag  
**0260410** Rosette & Screw; 250/Pk.



Wood & Plastic Molding & Trim

Quality, pre-finished wood and plastic trim molding.


Screen Trim

0269103 11.5' Dark Wood; 84/Pkg.



Ceiling Beam

0269106 13.5' White Painted Wood; 100/Pkg.



Chair Rail

0269114 10' Dark Wood; 50/Pkg.

0269163 10' White Paper-Wrapped MDF; 50/Pkg.



Outside Corner

3/4" 8' Plastic

0269109 Medium Brown Plastic; 125/Pkg.

0269166 White Painted Plastic; 125/Pkg.

0269178 Indian Oak Painted Plastic; 125/Pkg.

1" 8' Plastic

0269132 Medium Brown Plastic; 125/Pkg.

0269130 Light Plastic; 125/Pkg.

0269167 White Plastic; 125/Pkg.



Inside Corner

0269107 8' Medium Brown Wood; 150/Pkg.

0269165 8' White Wood; 150/Pkg.



Shoe Stop

1/4"

0269111 7' Medium Brown, Wood; 175/Pkg.

0269112 7' Light Wood; 175/Pkg.

0269168 7' White, Painted MDF; 175/Pkg.

0269176 7' Indian Oak Painted MDF; 175/Pkg.



3/4"

0269115 7' Light Wood; 100/Pkg.

0269116 7' Medium Brown Wood; 100/Pkg.

0269169 7' White, Painted MDF; 100/Pkg.

0269180 7' Fairway Oak Paper-Wrapped Luan; 100/Pkg.

Lip Molding 8'

0269134 Brown Plastic; 125/Pkg.

0269173 White, Painted, Plastic; 125/Pkg.



Batten

3/4" x 8'

0269104 Medium Brown Wood; 325/Pkg.

0269105 Light Wood; 325/Pkg.

0269170 White, Wood; 325/Pkg.

1 1/2" x 8'

0269179 Fairway Oak Paper-Wrapped Luan; 150/Pkg.

0269174 White Paper-Wrapped Luan; 150/Pkg.

0269183 Cafe Cider; Paper-Wrapped; 150/Pkg.


1" x 8'

0269117 Medium Brown Wood; 225/Pkg.

0269118 Light Wood; 225/Pkg.

0269171 White Paper-Wrapped MDF; 225/Pkg.

0269177 Fairway Oak Paper-Wrapped Luan; 250/Pkg.



Casing

0269100 86" Dark Wood; 60/Pkg.

0269119 86" Almond Wood; 60/Pkg.

0269172 86" White Paper-Wrapped MDF; 60/Pkg.

0269175 86" Indian Oak Paper-wrapped MDF; 44/Pkg.



Crown Cove

0269113 10' Dark Wood; 45/Pkg.



Cove Casing

0269101 10' Medium Brown Painted Wood; 150/Pkg.

0269160 10' White Paper-Wrapped; 150/Pkg.



Door Jamb  
Paper-Wrapped

0269140 2" x 7' Oak; 300/Pkg.


0269141 3.25" x 7' Oak; 180/Pkg.

0269142 4.5 x 7' Oak; 132/Pkg.

0269150 3.25" x 7' White; 180/Pkg.

0269151 4.5 x 7' White; 132/Pkg.

0269143 6 x 7' Oak; 102/Pkg.




# Vapor Barrier & Close-Off Film

## Clear Plastic Vapor Barrier

<b>0265017</b>	8' x 100'	6 ml Vapor Barrier
<b>0265016</b>	10' x 100'	6 ml Vapor Barrier
<b>0264996</b>	16' x 100'	6 ml Vapor Barrier
<b>0265018</b>	10' x 100'	10 ml Vapor Barrier
<b>0265019</b>	12' x 100'	10 ml Vapor Barrier
<b>0264998</b>	14' x 100'	10 ml Vapor Barrier

## Black Plastic Vapor Barrier

<b>0264997</b>	10' x 100'	6 ml Vapor Barrier
<b>0265005</b>	14' x 100'	6 ml Vapor Barrier
<b>0265004</b>	16' x 100'	6 ml Vapor Barrier
<b>0265002</b>	20' x 100'	6 ml Vapor Barrier
<b>0265001</b>	24' x 100'	6 ml Vapor Barrier
<b>0265000</b>	16' x 150'	6 ml Vapor Barrier
<b>0265007</b>	20' x 150'	6 ml Vapor Barrier



## White Close-Off Film

for secondary moves

<b>0265003</b>	12' x 120'	6 ml Close-Off Film
<b>0265009</b>	16' x 100'	6 ml Close-Off Film
<b>0265006</b>	14' x 300'	5 ml Close-Off Film
<b>0265008</b>	16' x 150'	6 ml Close-Off Film


## Center-Seal

Centerline Insulator

Foam is completely sealed inside a high-strength vapor barrier sheathing.

Flexible insulating foam core.

2-Ply flanges make it easy to fasten Centers-Seal to the mating surface around perimeter of home.



- ◆ Provides a continuous seal
- ◆ Withstands exposure to the elements
- ◆ Does not blow off during transport
- ◆ Lasts even through repeated resets
- ◆ Eliminates customer concern over visible daylight
- ◆ Superior insulation for better energy efficiency and protection against rodents and insects
- ◆ Compact, lightweight and easy to handle; no skin irritation
- ◆ Needs no special tools
- ◆ Installs faster than fiberglass, spray foam, etc.
- ◆ Unlike other materials, does not absorb moisture but blocks it, protecting home against structural and cosmetic damage

**0265055** 2" x 375'

## Sill Plate Sealer



Sill Seal is specifically designed to fill the air gaps between the sill plate and wall.

- Made of quality polyethylene
- Prevents rotting of sill plate
- Water and insect repellent
- Will not deteriorate
- Fills gaps between sections of home
- Easy to install -- needs no special tools
- Resists moisture penetration to interior of structure

Multi-purpose ridged sill plate gasket provides resilient sealing, a perfect seal for setting up double-wide homes.

**0265050** 5.5" x 50' Roll

## Masking Tape

Standard-grade masking tape. Good pressure sensitive qualities, resists water, solvents and oils. 60 yds.



**0360702** 1-1/2"W; 24/Ctn.

## White Close-Off Tape



**0360725** 2" x 36 yds.  
**0360726** 4" x 36 yds.

## 3M Electrical Tape



Temflex, general use vinyl electrical tape. Flame retardant, cold and sunlight resistant. Suitable for use at not more than 600 V and not more than 80°C. Flame retardant, lead free.

**0360401** 3/4" x 60', 200/Ctn.

## FLEX-PATCH Mending Tape



Easy-to-use tape form of mending material. Perfect for those small jobs of patching bottom board. Easily removed paper release.

**0360016** 4" x 100' Roll, Boxed.

## ECONO-MEND Economy Mending Tape



Same as above, only with no release paper, 4" x 165' roll.

**0360011** 4" x 165'

## Black Fabric Bottom Board Tape



Specifically made for patching and splicing bottom board paper used in mobile homes. Tears straight, no curl. Certified to meet the HUD specification of the Office of Mobile Home Standards. 2" x 60 yds.

**0360703** 24/Ctn.

## Seal-Tite #620 Heavy Duty Bottom Board Tape



Premium black fabric tape with high tack -- a heavier adhesive layer, twice the thickness of economy cloth tapes, for jobs that require exceptionally high peel and sheer strength. 2" x 36 yards/roll.

**0360704** 24/Ctn.

## Duct Tape



**Economy Duct Tape**  
 Roll: 2" x 60 yds.

**0360600** 24/Ctn.

**Top Quality Duct Tape**  
 Extra strong. Tears evenly, does not bubble up. Gray color. 2" x 60 yds.

**0360501** 24/Ctn.



## Foam Tape



Superior self-adhesive foam insulating tape works on hot and cold pipes, valves and fittings. 1/8" x 2" x 30'

**0360112**

## Foam Tape




Medium density, single-face non-interconnecting cell vinyl w/easy release liner. Synthetic permanent adhesive for easy application even on irregular curved surfaces. 3/16" x 30'. Mylar backed. 32/Ctn.

**0360110** 3/4" W

**0360108** 1/2" W

## Webbing Strap for Flex-Duct



Black polypropylene strap for hanging flex-duct, etc.

1-3/4" tensile strength: 440 lb. avg.  
3" tensile strength: 640 lb. avg.

**0262550** 3" x 300'

**0262551** 1-3/4" x 300'

## Putty Tape



Heavy, mastic flexible, non-hardening material remains pliable as applied or as packaged. Special silicone-treated release paper. Can be pressed into any shape to form a water-tight and air-tight seal. Adheres to metal, glass and plastic.

**0360090** 1/8" x 3/4" x 30'; 24/Ctn.

**0360105** 1/8" x 1" x 30'; 20/Ctn.

**0360106** 1/8" x 1-1/2" x 30'; 12/Ctn.

## Tacky Tape®

A highly elastic butyl rubber tape with excellent surface tack specifically designed for sealing metal joints. Its superior surface tack allows it to adhere to metal without pre-wiping the surface. It has excellent adhesion and compressibility to cold substrates. It is formulated without asbestos fillers.

### FEATURES:

- \* Excellent adhesion to aluminum, aluminized steel, polyvinyl fluoride and siliconized polyester painted metal, concrete, FRP, and glass
- \* No cracking or loss of adhesion at -40°F
- \* Service Temperature Range -40°F to 180°F
- \* Application Temperature Range -5°F to 120°F
- \* Adhesive Tensile Strength (ASTM C907) 20 psi minimum
- \* Will resist fungal attack and not support mildew growth
- \* USDA acceptable
- \* Meets Federal Specification TT-C-1796A, Type II
- \* Meets AAMA 804-92 and 807-92 (this specification supercedes obsolete NAAMM Standard SS-1b-68)



**0360800** 3/4" x 1/8 x 30', 24/Ctn.

## HVAC Duct Tape



Meets UL 181B-FX for duct installation with HVAC equipment. 2" x 60 yards.

**0360450**

## Black Butyl Tape



Top-quality, ready-to-use. Permanent resilience and elongation. For problem areas such as between roof and side panels. Quick-release paper for easy application. 16/Ctn.

**0360115** 2" x 30', 8/ctn.

**0360117** 3/4" x 30', 20/ctn.

## Foil HVAC Tape



For duct board system sealing. Prevents heat loss. Blocks odors and moisture.

**0360502** 2" x 50 yds.

**0360503** 3" x 50 yds.

# Floor Solutions

## Squeak-End<sup>TM</sup>




Guaranteed to end squeaky floors!



Amazing new product ends annoying floor squeaks forever. Requires no special tools, won't damage floors, installs with just a turn of the wrench—and it's guaranteed! 36 pieces, polybag.

0261025

## Seam-End<sup>TM</sup>



Accommodates 2 x 6 through 2 x 10 joists

Uniformly draws tongue and groove decking to the joist to eliminate unsightly seam pops. Easy installation requires no special tools and does not damage floor coverings. Made in the U.S.A. 18 pieces, polybag.



0261027

## SQUEEEEEK-NO-MORE Kit

Get rid of annoying floor squeaks with this kit and a power screwdriver. Works equally well on hardwood floors as well as vinyl and carpeted floors (even Berber!) No need to tear up the carpeting either. Simply locate the squeak, follow the simple 1-2-3 instructions and you're done.



### Kit includes:

- ★ 1 Alignment and Depth Control Fixture
  - ★ 50 Specially Scored Screws
  - ★ 1 Special Driver Bit
  - ★ 1 Special Screw Used to Locate the Joist
  - ★ Complete Instruction Booklet
- All you need to provide is an electric drill.*

### How does it work?

1. Locate the floor joist as shown in instructions. Then, push the alignment and depth control fixture firmly into the carpet.
2. Place your weight around the fixture, and drive the scored screw down as far as the fixture will allow it to go.
3. Place the screw gripper (located on alignment fixture) over the screw head, then rock the fixture left to right snapping the head off. The screw breaks at the weak spot that is consistently just below surface of the floor.

0261029 Squeeeeek No More Kit  
0261030 Scored Screws; 250/Ctn.

# Floor Registers


## Metal Registers



Drop-in style with mounting holes. 1/2" spaced, rolled fins. Opposed blade dampers. Wheel-operated adjustment.

- 0421301** Brown, 6" x 6"
- 0421304** Brown, 4" x 8"
- 0421305** Brown, 4" x 10"
- 0421306** Brown, 4" x 12"
- 0421302** White, 4" x 8"
- 0421303** White, 4" x 10"
- 0421307** White, 4" x 12"


## Air Deflector



High quality, durable floor air deflector of clear plastic directs the air flow more evenly for better temperature control in any season. Easy to install; heavy-duty magnets hold deflector in place on the register. Adjusts from 10" to 14".

**0421310** 48/Ctn.

## Register Collar



- 0421324** 4" W x 10" L x 6" D
- 0421325** 4" W x 8" L x 6" D


## Register Face



Face plate only.

- 0421320** 4" x 8" White
- 0421321** 4" x 10" Brown
- 0421322** 4" x 8" Brown
- 0421323** 4" x 10" White

## Baseboard Diffuser



**0421308** White, 18"

## Polyvent Registers

Get rid of dangerous jagged edges forever!



Molded plastic—no more bent fins, scratches, dents or jammed mechanisms, no more jagged edges that might cause injury. So durable, it's virtually indestructible and even dishwasher safe for easy cleaning. Molded in decorator colors, not painted, thereby eliminating fumes and waste harmful to the environment.

**4" x 10"**

- 0421315** White
- 0421316** Brown
- 0421294** Bone
- 0421295** Wedgewood Blue
- 0421296** Hunter Green
- 0421297** Pearl Gray

**4" x 8"**

- 0421317** White
- 0421318** Brown
- 0421290** Bone
- 0421291** Wedgewood Blue
- 0421292** Hunter Green
- 0421293** Pearl Gray

## Register Filters




Fresh scent plus less dust & odor

Not only do they provide a fresh, clean scent, they also trap and control pollen, dust and dust mites, tobacco odors and mold, mildew and fungus spores. Fits most registers. Non-toxic. Excellent for allergy and asthma sufferers. Installs in seconds. Fragrance lasts approximately three months. Packaged for pegboard display, coated in saran to lock in scent.

- 0180205** Potpourri 3/Pk
- 0180206** Pine 3/Pk

Specifications Subject to Change without Notice

## Floor Grill



Made of heavy gauge steel and a one-piece face for maximum strength and a smooth flat walking surface. White finish is tough and durable. Individual see-thru shrink pack.

- 0103148** 12" x 20" Brown Floor Grill
- 0103162** 14" x 20" Brown Floor Grill



# 2" Metal Plumbing Stack


Galvanized steel for 1-1/4" or 2-1/2" pipe. Removable cap.

**0425003** 50/Ctn.



# Plumbing Vent

**CAMICO**



Serves as a water tight flashing and weather shield for air vent pipes up to 2 1/2" diameter, projecting up to 2 1/2" above the roof.

5 1/4" Diameter Base.

**0425004** Plastic (mfg# 40132)

# Aluminum Ventilator for Exhaust Duct

**0425001** 6" diameter, with screen (Mfg# 360)



# Replace-All Plumbing Cap

**CAMICO**




Saves time and money—no need to install a complete plumbing cap. Plastic. 12/Ctn.

**0420100** (mfg# 40134)

# Metal Plumbing Stack


Vent cap for plumbing vent pipe. Rolled edge to prevent water run-over.



**0425208** 4", (Mfg# V2086-00)

# Roof Cap for Vertical Fans

Cap & flat flange 7" diameter attic vent, 9-1/4" above roof line.  
Note: will not work on sloped roof.



**0421202** 8/Ctn.

# BROAN Roof Ducting Kit

- Black steel roof cap with built-in back draft damper and bird screen
- 4" diameter metal duct connector
- Two nylon zip ties
- 3" to 4" duct adapter
- 8' of 4" diameter flexible foil ducting conforms to UL 181 Class 1 Air Connector requirements
- Do not use for dryer venting
- Complete kit designed to vent kitchen or bath exhaust fan through a slanted roof
- Works with 3" and 4" ducts
- 8' in length

For complete roof ducting installation of exhaust fans with 3" or 4" duct connector.

**0420505** Model RVK1A



# Sidewall Exhaust Fans



**0420710** 115V Sidewall Fan, Mill Finish Exterior, White Interior, Fits 2-3/4"-4" wall thickness.  
V2215-11



## Replacement Parts

**0420711** Sterling Grille - V0564-37  
**0420709** White Grille - V0564-46  
**0420703** Screws for Grille (3.5" Model) - V0148-02  
**0421401** Fan Blade - BVA0312-00  
**0221802** Pressure Switch - BV0140-03  
**0262000** Sidewall Chain - BV0144-00  
**0420103** Motor, 120V, No Plug - BVD0275-00

# Range Hood Vents


**0420510**  
Louvered  
1.75" inlet, white.  
3-1/3" x 10.5" RO.



**0420509**  
Weatherproof with lockable damper. 1.75" inlet, white.  
3-1/3" x 10.5" RO. Colonial White.



**0420500**  
Professionally finished look for lap siding. Simple to install, saves time & lowers cost. Reduces leaks. White.



# Bath Vents



- \* Ultra-quiet, U.L. Listed, 115V motor.
- \* Vertical exhaust
- \* Foam damper for a secure seal when not in operation

- \* Simple installation with plug-in motor & lamp, snap-in junction box cover
- \* 50 or 100 CFM, 120 VAC., 60 Hz
- \* Thermally Protected 8/Ctn.

## Vented Fan w/Light

10-3/4" Rough Opening. Takes 100 Watt Bulb. 1.5 AMP, Type IC



**0421205** 100CFM, #V2244-100  
**0421206** 50CFM, #V2244-50

## Replacement Parts

**0421207** Plastic Light Lens (#1)  
**0421208** Foam Damper Assembly (#13)  
**0421401** Blade Only (#7)  
**0421204** Motor for CFM50  
**0421203** Motor for CFM100

## Vented Fan w/o Light

Vent w/out Light. 7" Rough Opening, 0.8 AMP



**0421200** 100CFM, #V2262-100  
**0421201** 50CFM, #V2262-50

## Replacement Parts

**0421402** Grill & Spring Assembly (#1 & #2)  
**0421401** Blade Only (#9)  
**0421204** Motor for CFM50  
**0421203** Motor for CFM100

## Replacement Motor for Old Style 0421206 & 0421201

**0420103** Motor BDC019/BVD0275-00 120 VAC W/O Plug

## Carbon Monoxide Detector

w/Lithium Battery Tamper Resistant

- Lithium Battery Powered
- Electrochemical Sensor
- Sensor Life Monitor
- Tamper-Resistant
- ANSI/UL 2034-09 Listed
- CSA and IAS Certified
- NFPA 720 Compliant
- Five Year Warranty

**PRO-TECH**



**0250120** Battery Powered

**0250121** Plus Digital Display

## Carbon Monoxide Detector

Plug-In with 9v Battery Back-Up, Digital Display

Plug-in carbon monoxide alarm with digital display and 9V battery backup meets most state and local codes for carbon monoxide alarms.

Electrochemical Carbon Monoxide Sensor - the most accurate sensor available as compared to other sensing technologies.

- Single Button Test/Silence
- Battery Backup
- Two silence features - can silence the low-battery chirp for up to eight hours or temporarily silence an unwanted nuisance alarm
- Digital Display - shows visual confirmation of CO levels in PPM
- Peak Level Recall Button - recalls the highest level of Carbon Monoxide detected
- 5-Years Limited Warranty



**0250108** Plug-In, 9v Back-Up

## Smoke Alarm

Battery Powered

Hinged cover for easy battery replacement. Lighted Power & Alarm indicator. Silence feature. Tamper resistant locking pin. 10 year limited warranty



**0141303** Carbon Zinc Battery FG250B

**0141301** Lithium Battery - FG250LB

## Smoke Alarm

AC Powered

120VAC, ionization sensor, meets U.L. Standard 217. Interconnectable. Quick connect wiring harness and Fast Install mounting bracket. Outside diameter is 5-3/8" for better coverage of cutouts.



**0141302** Electric (mfg# 9120)

**0141305** Electric with 9V Battery Back-up in side drawer. (mfg# 9120B)

## Carbon Monoxide Detector



Samples air once every second  
Calibrated at four levels for accuracy  
Silencer button, re-alarms if levels persist  
Unique self testing system alerts if malfunctions

**0250104**  
**0250105**



**0250106**

**0250104** Plug-In w/Battery Back-Up  
(2 - AA batteries)

**0250105** Plug-In

**0250106** Battery Powered  
(2 - AA batteries)

## Combo Alarm

Smoke Detector & Carbon Monoxide Detector



Battery Powered.  
The BRK First Alert Combination Carbon Monoxide and Smoke Alarm protects you from the very real dangers of both fire and smoke as well as carbon monoxide.



**0250103** Battery Powered  
Use 2-AA Batteries



\* All fire extinguishers are UL Listed and use DOT approved canisters

## Kitchen Fire Extinguishers



UL rated 5-BC made especially for the kitchen. White with white mounting cap and pop-up pressure indicator. Effective on oil, flammable liquids and electrical fires. Specialty quick release mounting cap. Non-corrosive. Easy to clean up.

**0340510** 1 lb 5.3 oz.; 6/Ctn.

## BC Extinguisher

**Recreational.** Fights flammable liquids and electrical fires. UL rated 5-B:C. Large, easy to read gauge. Sodium bicarbonate. Rechargeable. Mounting bracket with strap included.

**0340501** 2 lbs.; 6/Ctn.

**Garage and Home.** UL rated 10-B:C. Fights grease, oil and electrical fires. Large, easy to read gauge. Includes Ergonomic handle and trigger. Sodium bicarbonate. Mounting bracket with strap included.

**0340507** 2 lbs, 7 oz.; 6/Ctn.



**0340501**



**0340507**

## ABC Extinguishers

Multi-purpose. Non-toxic tri-class dry chemical agent (monoammonium phosphate) fights flammable liquids & electrical fires as well as wood, paper and cloth fires. Recommended for commercial use.

**Multi Purpose Home** UL rated:1-A:10-BC: Effective on wood, paper, plastic, flammable liquid and electrical fires. Mounting bracket with strap included.

**0340508** 2 lbs 9.3 oz.; 6/Ctn.

**Heavy Duty, Multi Purpose, for Home, Office or Business** Rechargeable (fits easily inside standard fire box-fire box not included). Exceeds NFPA 10 Minimum Code Requirements. UL rated 3-A:10-B:C for trash, wood, paper, liquids, electrical fires.

**0340509** 4 lbs 12oz.; 6/Ctn



**0340509**

**0340508**

## Mini-Blinds


1" PVC, lead-free with wand in classic white sized to fit manufactured housing windows. 10/Ctn.



<b>0260500</b>	32" x 33"	<b>0260502</b>	38" x 56"
<b>0260501</b>	32" x 56"	<b>0260503</b>	48" x 56"
<b>0260508</b>	32" x 64"	<b>0260506</b>	48" x 64"
<b>0260507</b>	35.5" x 54"		

## Vertical Blinds


3.5" PVC, lead-free with wand in classic white, perfect for sliding glass doors.



**0260504** 78" x 78"

## Curtain Rods

Single, white, extendable curtain rod projects 2-1/2".



**0265712** 28"- 48"; 50/Ctn.  
**0265714** 48"- 84"; 50/Ctn.

# Signs & Banners

## Sales Banners

**QUALITY MANUFACTURED  
HOMES AT THE BEST PRICE**

Item **0265725** shown above (27" x 10')

100% heavy nylon with water repellent finish. Strong brass grommets in each corner for long-lasting outdoor use. 30" x 10' banner with 16" red letters on white banner. 12/Ctn.

**0265720** Grand Opening

**0265721** Sale

**0265722** Kiss Your Landlord Goodbye

**0342015** Special of the Week

**0265725** Quality Manufactured Homes at the Best Price

**0265726** Clearance Sale

**0265727** Open House

## "Mobile Home Supplies"

3' x 5' nylon banner lets customers know you stock "Mobile Home Supplies."

**0265724**



## Mobile Home Parts

2' x 2' *Mobile Home Parts Sold Here* sign is 2 sided, made of yellow weather proof gator board, with large black letters as seen on the left.

Real estate type yard frame is included.

**0265732** frame included



## Metal Double Sided Sign



Light-weight metal alloy, baked on enamel finish, scratch resistant. Will not fade, crack, peel or rust. Folds for easy storage. Black on interstate yellow. 12" letter height and 2" letter stroke.

**0342009** 15" x 6' **0342010** 18" x 7' (PA Approved)

## Vinyl Double Sided Sign



Features a strong 1/4" poly rope sewn the entire length; all stress goes to the rope, not the sign, so there are no grommets to tear. 12" high letters are screen printed black on interstate yellow. "Over Size Load" on one side, "Wide Load" on the other.

**0342016** 20" x 84"; 25/Ctn

## Ohio "Oversized Load" Sign

12" x 60" vinyl open weave mesh sign says "Oversized Load" in 8" letters. For escort vehicles. Meets Ohio DOT regulations.

**0342003**

## Poly-Coated Fabric Signs

Durable, weatherproof, reinforced metal grommets, double stitching, Tyvek corners for extra strength. Attach with shock cords. Black letters on interstate yellow.

**0342001** Over Size XX Load 18" x 7' (Sleeves for 10, 12, 14 & 16 to meet Arkansas sign requirements)

**0342002** Over Size Load 18" x 8' (Michigan Approved)

**0342005** Danger Wide Load Ahead 18" x 4'; 25/Ctn.

**0342007** Danger Wide Load Follows 18" x 4'; 25/Ctn.

## Hula Pennants



### Multi-Colored:

4 mil polyethylene plastic in 30' strings of alternating red, green, yellow, white and blue fringes.

**0265702** Multi-Colored; 25/Ctn.



### Red/White/Blue:

Each 30' pennant string has alternating red, white and blue hula pennants, creating a striking visual image. There are 32 full color 18' sections per string. Durable in any weather. 25/Ctn.

**0265703** Red/White/Blue

## Flag Pennant



12" x 18" V-shaped pennant flags; weather-resistant economy polyethylene, double sewn on plastic covered, high strength, sag-resistant header. 120'. 25/Ctn.

**0265701**